

### VIEW 3 Tag VIEW 4 Tag

The Panasonic VIEW 3 Tag and VIEW 4 Tag provide an electronic, reusable option to replace paper labels in picking, replenishment and cyclic container applications in manufacturing and logistics. Equipped with an e-paper screen for multi-page, dynamic instruction and RFID for process tracking — the tags turn your material into “smart” material.



#### Environmental Specifications

Storage Temperature -20°C to +50°C

Operating Temperature 0°C to +40°C

Battery Life 5 years (typical)

Vibration Resistance MIL-STD-810G-2014

Warranty 1 year

#### Interfaces

Radio Communication 433 MHz

Active Radio Range Up to 100 m

Passive RFID Range Up to 6 m


RFID EPC Gen 2 (Impinj MonzaX 2K)

Input triggers Button, RFID, External input

Output One general purpose output signal

#### Physical Specifications

	VIEW 3	VIEW 4
Size (mm)	137.8 × 48.5 × 13.5	124.6 × 90.5 × 13.3
Size (in)	5.4 × 1.9 × 0.5	4.9 × 3.6 × 0.5
Active Area (mm)	66.9 × 29.06	84.8 × 63.6
Resolution (px)	296 × 128	400 × 300
Weight (g)	90	137
Construction	Polycarbonate, ABS	
Attachment	Screws or Zip Tie using included bracket	



# VIEW 3 Tag VIEW 4 Tag



## Ordering Information

Model No.	Description
VT03-G3	VIEW 3 Tag with Bracket
VT03-G3BKT	Bracket for VIEW 3 Tag
VT04-G3	VIEW 4 Tag with Bracket
VT04-G3BKT	Bracket for VIEW 4 Tag

## Certifications

### VIEW 3 & VIEW 4

EN Standard*	EN 300 220-2 V3.2.1 EN 302 208 V3.1.1 ETSI EN 301 489-1 ETSI EN 301 489-3 EN 55032:2015/AC:2016 EN 55024:2010 EN 61000-4-2:2009 EN 61000-4-3:2006: +A1:2008 + A2:2010
--------------	---

FCC	FCC Part 15 subpart C FCC Part 15.231 FCC Part 15 subpart B
-----	---

IC	RSS-210 ICES-003
----	---------------------


Safety	IEC/EN 62368-1
--------	----------------

\* Contact for CE: Panasonic Marketing Europe GmbH, Panasonic Testing Center, Winsbergring 15, 22525 Hamburg, Germany




## Bracket Dimensions

### VIEW 3



### VIEW 4



Visit [logiscend.panasonic.com](https://logiscend.panasonic.com) to learn more.

For more information, please contact [IIoT.sales@us.panasonic.com](mailto:IIoT.sales@us.panasonic.com)

**Panasonic**